



924 Calle Negocio • Unit A
San Clemente, CA 92673
Phone: (949) 366-3070 • Fax: (949) 366-3069
www.aggregatemachineryspecialist.net

36" x 125' Portable Radial Stacker with gull wing axle, 750 TPH

- 36" Deep truss 4" x 4" x 1/4" corners, 2" x 2" x 1/4" lattice and cross bracing under-strapped center section same as corners
- 28' Manual head end fold
- 26' Manual tail fold
- Square tubular undercarriage (heavy-duty)
- Manual raise and lower
- Straight wheels tandem walking beam with 8 x 22.5 brand new 295 Goodyear radial tires
- Gull wing fold down heavy-duty radial axle drive package with four-wheel drive with traction control
- Precision CEMA C5" cans 4' on center, 12" spacings under hopper
- Precision CEMA C 5" returns 10' on center
- 18" Lagged head pulley with 3 15/16" shaft
- 16" wing tail pulley with 3 7/16" shaft and wide slot bearings
- Wrap drive, 20" 1/2" lag drum driven pulley 4 7/16" TDT 3 15/16" matched with 20" 1 1/4" FAS lag wing snub pulley 3 7/16", with brackets, shafts, and bearings
- 24" Top angle take-up unit
- Type E roller bearings S2000 tail bearings
- 1045 shaft
- TXT715 (Dodge) gearbox 15:1 ratio
- Backstop installed
- 50 HP TEFC electric motor
- 3-ply 330 3/16" top belting, Flexco mechanical fasteners, skived splice
- 8' Standard hopper with rubber flashing w/ special weld on wings
- In-pit tow eye
- Fifth wheel hitch/pivot plate
- Head & tail guarding – safety yellow
- Sand blasted; epoxy primed and painted orange, gray or beige

Included Options

- Dual power head and tail fold
- Brake lights with DOT tape on side of conveyor
- Air brakes
- Mud flaps
- Hydraulic raise and lower, 7.5 hp power unit, 2 safety rams, valve, hoses
- Flexco 36" EZP1 belt cleaner; installed
- 50 HP electrical panel:
 - provide starter in NEMA 12/3R
 - enclosure with start/stop
 - buttons, circuit breaker, and
 - disconnect; wired to motor.
 - hour meter
- 7.5 HP electrical panel:

- provide starter in NEMA 12/3R
 - enclosure with start/stop
 - buttons, circuit breaker, and
 - disconnect; wired to motor.
- (3) Return nip guards
- (3) Return side guards
- Top side fall in guard with mesh 8' long, each side
- Snub pulley drive with tire steel drum and guard
- Fold up crank style landing legs
- Cord reel and tray
- 100 ft. Portable SOOW cord 4/4

Unit is in stock (Item 16699), at factory, subject to prior sale. Terms are Net 10 Days after receipt of equipment, subject to prior credit approval. Sales tax is additional and charged at the appropriate rate. Freight is also additional and charged at our actual cost.





